

Service Bulletin No: 04-020

Ref No: 355

Modification No: EC-16-0118

ATA Chapter: 04

**AIRWORTHINESS LIMITATIONS - GENERAL -
UNITED ARAB EMIRATES (UAE) GENERAL CIVIL AVIATION AUTHORITY CERTIFICATION STANDARD****1. Planning Information****A. Effectivity**

PC-12/47E Series aircraft which are required to comply with the General Civil Aviation Authority (GCAA) of the United Arab Emirates (UAE) certification standard.

B. Concurrent Requirements

None.

C. Reason

(1) Problem:

To have the aircraft in compliance with the requirements of the GCAA, UAE.

(2) Solution:

The GCAA of the UAE require aircraft imported into the UAE to comply with CAR Part IV, Operations Regulations, CAR-OPS 1, including bilingual language (English/Arabic) placard requirements.

D. Description

This Service Bulletin gives the data and instructions necessary to replace standard placards and markings with specific dual language placards and markings for aircraft certified in the UAE.

E. Compliance

Mandatory for aircraft required to be in compliance with GCAA, UAE certification standard.

F. Approval

The technical content of this document is approved under the authority of DOA No. EASA. 21J. 357.

PILATUS advises Operators/Owners to check with their designated Airworthiness Authority for any changes, local regulations or sanctions that may affect the embodiment of this Service Bulletin.

G. Copyright and Legal Statement

© Pilatus Aircraft Ltd. This document contains proprietary information that is protected by copyright. All rights are reserved. No part of this document may be copied, reproduced or translated to other languages without the prior written consent of Pilatus Aircraft Ltd.

In connection with the use of this document, Pilatus does not provide any express or implied warranties and expressly disclaims any warranty of merchantability or fitness for a particular purpose. This document contains trade secrets, confidential and/or proprietary information of Pilatus and technical data subject to export control laws and regulations, including the U.S. Export Administration Regulations (EAR). Disclosure or distribution of this document contrary to the EAR, and other laws and regulations, is strictly forbidden. The above restrictions may apply to data on all pages of this document.

H. Manpower

Task	Man-hours
Preparation	1.0
Modification	3.0
TOTAL MAN-HOURS	4.0

I. Weight and Balance:

None.

J. Electrical load Data:

Not changed

K. Software:

Not affected.

L. References:

Aircraft Maintenance Manual (AMM)

12-B-11-00-00-00A-901A-A 12-B-20-31-00-00A-070A-A

M. Publications Affected:

IPC.

N. Interchangeability of Parts:

Not interchangeable.

2. Material Information**A. Material - Price and Availability**

Pilatus advise that the standard lead times for the parts may be up to 4 weeks.

If you require more information about this modification, please contact us as follows.:

PILATUS AIRCRAFT LTD
CUSTOMER SUPPORT MANAGER
CH-6371 STANS
SWITZERLAND

General Aviation
Tel: +41 41 619 3333
Fax: +41 41 619 7311
eMail: SupportPC12@pilatus-aircraft.com

PILATUS BUSINESS AIRCRAFT LTD
PRODUCT SUPPORT DEPARTMENT
11755 AIRPORT WAY
BROOMFIELD, CO 80021
UNITED STATES OF AMERICA

Tel: +1 303 465 9099
Fax: +1 303 465 6040
eMail: SupportPC12@PilBal.com

PILATUS AUSTRALIA PTY LTD
17 JAMES SCHOFIELD DRIVE
ADELAIDE AIRPORT SA 5950
AUSTRALIA

Tel: +61 8 8238 1600
Fax: +61 8 8234 4499
Free Call: +61 1800 PILATUS (745 2887)
eMail: SupportPC12@pilatus.com.au

(1) Material Necessary for one Aircraft:

Parts to be ordered from Pilatus:

NOTE: Part Numbers given in this Service Bulletin are correct at the time of approval. Pilatus Aircraft Ltd. reserves the right to change the part numbers as necessary. Part numbers of items delivered with the Modification Kit are correct when the kit is dispatched. This could lead to differences between those part numbers quoted in this Service Bulletin and the Modification Kit if parts are superseded. Operators are requested to check the IPC for delivered parts which differ from those listed in the Service Bulletin Materials Kit List.